




**TWENTEBELT**

METAL CONVEYOR BELTS AND ARCHITECTURAL MESH





## ▶ TWENTEBELT. MARKET LEADER IN METAL CONVEYOR BELTS

---

Twentebelt of the Netherlands has been specialised in metal conveyor belts for over 90 years. Twentebelt develops, produces, supplies and maintains a wide range of

metal belts such as eyelink belts, wire mesh belts and spiral wirelink belts in various materials.

Twentebelt supplies, among others, the food, chemical, pharmaceutical and packaging industries.

Each belt is designed and built for your specific application and working conditions. Twentebelt is the worldwide market leader in eyelink belts.



*Wire mesh belt used in soldering furnace.*



### Process continuity with Twentebelt metal conveyor belts

The success of Twentebelt and therefore that of its clients is determined by the many advantages of metal conveyor belts, such as longer life, 100% reliability, ease of maintenance, lower cost and extra flexibility. Metal conveyor belts offer a solution for every production process, from cooking, baking, frying or freezing food to pasteurising

preserves and drinks to degreasing metal objects, even in extreme conditions, such as temperatures below or far above freezing or when aggressive chemicals are used.



*Eyelink belt used in freezing tunnel at Bakkersland, Hoogeveen, Holland.*





### Twentebelt develops, advises and creates to your specifications

Twentebelt responds to specific client requests with unique custom solutions.



*Spiral wirelink belt in furnace  
at Bolletje, Almelo, Holland.*

Twentebelt is aware that the quality of its advice determines the quality of the ultimate application. Put our product specialists to the test!

### Prompt, quick service

Twentebelt also has its own service department that is always ready, everywhere, with diagnostics, advice and repairs. Regular inspections and

preventive maintenance allow us to optimise your business continuity.

### Used worldwide, appreciated worldwide

More and more companies around the world are trusting in the reliability of

Twentebelt and its metal conveyor belts.

On these pages a selection ...



*Eyelink belt used at Freudenberg  
Household Products, Arnhem, Holland.*



▶ CONTENTS

EYELINK BELTS




4

WIRE MESH BELTS




6

SPIRAL AND  
WIRELINK BELTS



8

OTHER BELTS



10



## ▶ EYELINK BELTS



*Stable flat foundation, perfect for pasteurisers, etc..*



*Suitable for very low or very high temperatures, such as fryers.*

### Applications and features



Eyelink belts combine a flat, stable surface with the dimensional stability and robustness of metal and are well suited to heavy loads and unstable or fragile products requiring good support.

A perfectly straight run is always assured by positive drive with toothed sprockets. A single opening means that eyelink belts are easy to clean.

Twentebelt eyelink belts are durable and designed to be flexible.


### Versions

There are many types of eyelink belt. The right belt for your application is made based on the type of eyelink, the belt pitch and the various options for finishing the side and installing flights.




### Belt structure:

- ▶ 1 Eyelink to eyelink (type DO)
- ▶ 2 Modular structure with one or more welded underwires (type DP(L) and DL)
- ▶ 3 With flattened eyes for small opening (type DP)



**Side finishing**

- ▶ 1 With a welded side (LK)
- ▶ 2 Fitted with chain (KH) to be driven by gear wheels at the sides.
- ▶ 3 With side guide (ZG) for absolutely straight run.
- ▶ 4 Or with plastic blocks (KB) for virtually seamless connection to the machine frame.



**Sizes**


- ▶ Pitch (15.9 to 76.2 mm)
- ▶ Wire diameters (1.6 to 3.2 mm)
- ▶ Cross pitch (measured centre-to-centre of eyelinks 2.8 to 50 mm)
- ▶ Number of underwires (0 to 8)

Eyelink belts are available in various materials, including AISI 304 stainless steel and bright steel.



**Drive**

Belts depend on the right driving and turning wheels to operate well and without interruption, which is why Twentebelt develops and produces the required sprockets and rollers. Sprockets are equipped with special teeth configured for the belt structure, and tube, disc or strip rollers are available to drive the entire width of the belt.



**Options**

For specific applications, an eyelink belt can be fitted with options, such as edge plates (1) for thicker layers of unsorted products, or flights (2) for ascending and descending belts.

## ► WIRE MESH BELTS

---


### Applications/features

Wire mesh belts have extra large openings and are very well suited to coating processes such as chocolate covering, egg glazing, breading and other applications in which the product should have as little contact with the conveyor belt as possible. This means it is especially suitable for light products. The small radius on the reverse means a good product transfer.

Wire mesh belts are flexible in terms of use and specifications. Twentebelt also supplies 90° conveyor curves in various sizes as well as separate belts.

### Versions


Diverse combinations of pitch, wire diameter, mesh length and side finishing create a wide range of fit-for-purpose wire mesh belts.



*Even support with large opening  
for light products.*




*Wire mesh belts offer diverse solutions not  
only for the food sector but also in industry.*



#### Side finishing

- 1 With standard S side (type GR-SK)
- 2 With a double bent Z side (type GR-ZK)



#### Sizes


- ▶ Pitch (3.8 to 28 mm)
- ▶ Wire diameter (0.9 to 2.8 mm)
- ▶ Mesh length (25 to 150 mm)

Wire mesh belts are available in AISI 302 or 316 stainless steel and bright spring steel.



#### Drive

Wire mesh belts are driven by sprockets or discs of plastic or stainless steel or by a friction drive with a rubber-coated drum over the full width of the belt. These drives and turning wheels are developed and produced by Twentebelt for wire mesh belts and are intended to guarantee an optimal uninterrupted run.



#### Options

Wire mesh belts can be equipped with integrated flights or tips, or levels for fixed product spacing. The belt can be made endless simply by pinching shut a connector or by weaving in a pre-bent wire.

## ▶ SPIRAL AND WIRELINK BELTS




### Applications/features






The spiral belt is the 'mother of all metal belts' and has a virtually infinite number of versions and applications, from super-strong (for heavy loads over large widths or very hot products) to very dense weaves for small products, unsorted goods or products requiring stable support. The belts have a perfectly round end, even with a small radius, for a good product transfer to the following stage of the process. From transport in glass furnaces and kilns to decorative dividers in architecture, spiral wirelink belts provide a solution for the most complex applications.

### Versions

Spiral wirelink belts can be divided into three main groups:

- ▶ Without pins
- ▶ With corrugated pins
- ▶ With straight pins





### Basic forms

- 1 Harmonica mesh (type HA) for light products or decorative applications
- 2 Spiral belt woven on one side (type SP)
- 3 Corrugated wirelink belt, alternately woven left and right for a straight run (type GS)
- 4 Straight wirelink (type RS)
- 5 'Rod reinforced' structure specifically for applications at temperatures up to 1200 °C (type RR)
- 6 'Compound belt' with additional pins and spirals for a very densely woven belt (type CB)


### Side finishing

- 1 With looped edges (can easily be made endless)
- 2 Or welded (small links that cannot be bent)
- 3 Fitted with chains

Spiral belts are available in a wide range of materials:

not only ferrous metals but also non-ferrous and combinations in a single belt.

Also available in various heat-resistant metal types.



### Drives

The belt is driven by friction rollers over the entire width of the belt or positively with sprockets in the case of GS belts. The drive is perfectly suited to the application and belt used.




### Options


Spiral wirelink belts can be equipped with edge plates and/or flights. The pins can be bent upwards in some types, resulting in a standing edge.

## ▶ OTHER BELTS

---



*Plate belts.*



*Filter belts.*



*Conveyor curves.*

In addition to eyelink belts, wire mesh belts and spiral wirelink belts, Twentebelt produces specific belt structures and complete solutions such as conveyor curves

### Plate belts

Plate belts are well suited to drying processes. The self-supporting structure of these belts means they can be used over large widths without support. Perforations allow the opening in the belt to vary from 0 to very large. Chain-driven plate belts can be fitted with edge plates.


### Filter plates

The specific structure of metal conveyor belts makes these suitable for use as filter plates, with an opening that is precisely aligned with the product to be filtered. Depending on the filtration process, spiral wirelink or eyelink belts can be used, or even combinations of both belts.


### Conveyor curves

Sometimes the process has to turn a corner. Twentebelt's wire mesh belt conveyor curves offer a space-saving solution that is produced by Twentebelt and can be implemented immediately as a complete system that is hygienic and saves space, with an open or closed table top. The drive with a directly drive axle and integrated frequency control can be installed inside or outside the radius. Conveyor curves are available in different sizes, all adjustable for height.


## ▶ TWENTINOX WOVEN FABRIC FOR ARCHITECTURE AND DESIGN



*Stairwells*



*Façade*




*Furniture*

The applications of metal fabrics are unlimited:

- ▶ Balconies
- ▶ Exhibit stands
- ▶ Fences
- ▶ Banister
- ▶ Sunscreens
- ▶ Dividers
- ▶ Elevators
- ▶ Wall coverings
- ▶ Ceilings
- ▶ Curtains
- ▶ Stairwells
- ▶ Façade coverings
- ▶ Furniture

These specials for architecture and design are marketed separately with its own label as Twentinox. Twentinox offers turnkey solutions, i.e. including assembling, electric equipment and accessories.

Would you like to know more? Click [www.twentinox.com](http://www.twentinox.com).



*Curtains*



**TWENTEBELT**

▶ PETROLEUMHAVENSTRAAT 1-3 ▶  
▶ 7553 GS ▶ HENGELO OV ▶  
▶ THE NETHERLANDS ▶

▶ TEL +31 (0)74 242 47 05 ▶  
▶ FAX +31(0)74 243 16 59 ▶  
▶ SALES@TWENTEBELT.COM ▶  
▶ WWW.TWENTEBELT.COM ▶